

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2016 Version number 4 Revision: 14.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier QUIKSET A
- · Trade name: QUIKSET®
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Raw material for plastics

Polyol component of two-component polyurethane system material for manufacturing high-density polyurethane foam. HFC-type compound contains a zero ozone depletion potential ODP = 0. Recommended for producing molded decorative and performance elements of rigid polyurethane foam with high density.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRIVLAB Sp. z o.o. ul. Jarzebinowa 24 55-080 Kąty Wrocławskie,

Poland

tel. (+48) 71 71 510 72

e-mail: quikset@quikset.eu

· Further information obtainable from:

Official advisory unit: Bureau for Chemical Substances in Łódź (+48) (0) 42 631 46 79 (the line open from 7.00 a.m. to 3 p.m.)

1.4 Emergency telephone number: (+48) (0) 61 867 60 51 (the line open from 7.00 a.m. to 3 p.m)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- Additional information:

Contains: 1,1,1,3,3-pentafluorobutane [CAS: 406-58-6], 1,1,1,2,3,3,3-heptafluoropropane [CAS: 431-89-0].

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients 3.2 Chemical characterisation: Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: 1,1,1,3,3-pentafluorobutane < 10% CAS: 406-58-6 ELINCS: 430-250-1 Flam. Liq. 2, H225 CAS: 98-94-2 EINECS: 202-715-5 N,N-Dimethylcyclohexylamine < 0.5% Flam. Liq. 3, H226; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411 2-dimetyloaminoethanol < 0.5% CAS: 108-01-0 EINECS: 203-542-8 Flam. Liq. 3, H226; Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335 Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2) EN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2016 Version number 4 Revision: 14.04.2016

Trade name: QUIKSET®

(Contd. of page 1)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

Every person taking part in fire-fighting must wear complete protective clothing: full face mask with breathing apparatus feeded from independent air source, safety helmet, a coverall, gloves and shoes made of PVC.

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Mount respiratory protective device.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

- \cdot Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Suitable material for receptacles and pipes: Stainless steel.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Recommended storage temperature: +5 to +25 °C (6 months)
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 3) EN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2016 Version number 4 Revision: 14.04.2016

Trade name: QUIKSET®

(Contd. of page 2)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Goggles recommended during refilling
- · Limitation and supervision of exposure into the environment

There are not any obligations to make regular measurements of emission to environment. Basic rules of machinery and devices exploitation are to be observed.

| 9.1 Information on basic physic General Information | al and chemical properties |
|---|---|
| Appearance: | |
| Form: | Liquid |
| Colour: | yellow-orange |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| Self-igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure: | Not determined. |
| Density at 20 °C: | 1.10 g/cm ³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/v | vater): Not determined. |
| Viscosity: | (50, 050, P |
| Dynamic at 25 °C: | 650 - 850 mPas |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 0.0 % |
| VOC (EC) | 0.00 % |
| 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Avoid contacts with strong oxidizing substances.
- \cdot 10.2 Chemical stability The product is stable at room temperature.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Avoid heat sources (sunbeams, heaters and the like) influence.

(Contd. on page 4) EN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2016 Version number 4 Revision: 14.04.2016

Trade name: QUIKSET®

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. of page 3)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

| LD50 | 136000 mg/kg (rat) (ATE) |
|--------|--------------------------|
| LD50 | 190000 mg/kg (rat) (ATE) |
| LC50/4 | 940 mg/l (rat) (ATE) |
| | LD50 |

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eve damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household
- European waste catalogue

| Lutopean waste catalogue | | |
|--------------------------|---|--|
| 16 03 06 | organic wastes other than those mentioned in 16 03 05 | |
| 15 01 02 | plastic packaging | |
| 15 01 04 | metallic packaging | |
| Uncleaned nackaging | | |

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number
- · ADR, ADN, IMDG, IATA not regulated
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA not regulated
- · 14.3 Transport hazard class(es)
- · ADR, ADN, IMDG, IATA
- Class not regulated
- · 14.4 Packing group
- · ADR, IMDG, IATA not regulated

(Contd. on page 5) EN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2016 Version number 4 Revision: 14.04.2016

Trade name: OUIKSET®

| | | (Contd. of page 4) | | |
|--|-----------------|--------------------|--|--|
| · 14.5 Environmental hazards: | Not applicable. | | | |
| · 14.6 Special precautions for user | Not applicable. | | | |
| · 14.7 Transport in bulk according to Annex II of Marpol | | | | |
| and the IBC Code | Not applicable. | | | |
| · UN "Model Regulation": | not regulated | | | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 1. Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 and Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67EWG, 93/105/EC and 2000 / 21/ WE (Official Gazette. EU L 136 of 29 May 2007).
- 2. Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Journal of Laws. L 132 of 28 May 2015).
- 3. Regulation (EC) No 1272/2008 Of The European Parliament And Of The Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Contact: PRIVLAB Sp. z o. o.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) by Road)
IMDG: International Maritime Code for Dangerous Goods

IMDU: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

ΕN